



INVITATION TO BID FOR THE PROCUREMENT OF VARIOUS PERSONAL PROTECTIVE EQUIPMENT FOR ALAMINOS CITY RESPONSE AND EXTRICATION TEAM OF THE CITY GOVERNMENT OF ALAMINOS, PANGASINAN

1. The **CITY GOVERNMENT OF ALAMINOS, PANGASINAN** through its *LDRRM SPECIAL TRUST FUND* intends to apply the sum of **Six Hundred Fourteen Thousand Nine Hundred Fifty Pesos Only (Php 614,950.00)** being the Approved Budget for the Contract (ABC) to payment under the contract for the **PROCUREMENT OF VARIOUS PERSONAL PROTECTIVE EQUIPMENT FOR ALAMINOS CITY RESPONSE AND EXTRICATION TEAM OF THE CITY GOVERNMENT OF ALAMINOS, PANGASINAN.**

QTY.	UNIT OF MEASURE	ITEM DESCRIPTION
2	sets	Complete Diving Gear (with dive light)
		a. Dive Mask
		<ul style="list-style-type: none"> made with the Cressi's patented IDF technology It features the Cressi Stop Fog system that traps the moisture escaping from the nose reducing drastically the fogging up very low internal volume mask adjustable buckles connected with a rubber strip to the frame increasing the comfort inverted teardrop tempered glasses increase the field of view and downwards visibility new improved dual strap made of a double injection with action cam adapter, screw lock included, pivot buckle
		b. Regulator
		<ul style="list-style-type: none"> 2nd stage design: Balanced 1st stage type: Piston 2nd stage series: S Series water temperature: Cold, Temperature, Warm connector type: INT nitrox mix: up to 40% HP ports: 2 LP ports: 5 1st stage materials: Titanium 2nd stage materials: Titanium Components Model: MK25T EVO/S620 X-TI Dive Regulator System, INT
		c. Buoyancy Compensator Device (BCD)
		<ul style="list-style-type: none"> comfortable and stable back buoyancy BC with 15kg Lift (40lbs) streamlined swivel shoulder buckles smart trim weight positioning SLS weight system roll-down cargo pocket waist strap allows maximum adjustability customizable and travel friendly monoplate backpack fits single or double tanks

		<ul style="list-style-type: none"> • visual confirmation of proper weight pouch insertion
		<ul style="list-style-type: none"> • personalizable label on weight pockets
		d. Snorkel
		<ul style="list-style-type: none"> • 100% dry top
		<ul style="list-style-type: none"> • sliding snorkel keeper
		<ul style="list-style-type: none"> • corrugated silicone hose and mouthpiece
		<ul style="list-style-type: none"> • exhaust valve
		<ul style="list-style-type: none"> • suitable for diving or extended snorkelling sessions
		<ul style="list-style-type: none"> • unparalleled breathing comfort due to the increased internal volume of the bottom housing
		e. Dive Gauge
		Pressure Gauge:
		<ul style="list-style-type: none"> • brass case
		<ul style="list-style-type: none"> • technopolymer window
		<ul style="list-style-type: none"> • phosphorescent dial face
		Depth Gauge:
		Oil Bath
		<ul style="list-style-type: none"> • phosphorescent dial face
		<ul style="list-style-type: none"> • max depth indicator
		<ul style="list-style-type: none"> • linear scale
		Console:
		Protective Rubber Cover with Multiple Attachment Points
		f. Dive Boots
		<ul style="list-style-type: none"> • angled footbed – less strain when finning.
		<ul style="list-style-type: none"> • boot grip – good grip at the right place. A perfect help when putting on the boots, even with gloves on.
		<ul style="list-style-type: none"> • extra long YKK zipper – high quality YKK vision zipper, extra long for easy entry.
		<ul style="list-style-type: none"> • Fin strap ridge – secures the fin strap to the boot.
		<ul style="list-style-type: none"> • Glidskin – glide skin parts inside the boot for easier donning.
		<ul style="list-style-type: none"> • ID plate – stylish place to put your name. easy to recognize your gear when everyone else has waterproof too.
		g. Fins
		<ul style="list-style-type: none"> • fin type: blade, open heel
		<ul style="list-style-type: none"> • material: dual compound
		<ul style="list-style-type: none"> • weight: 4.05 lb / 1.84 kg
		<ul style="list-style-type: none"> • heel strap type: adjustable rubber
		<ul style="list-style-type: none"> • activity: travel, snorkelling, recreational
		<ul style="list-style-type: none"> • UPC: 4048336344999
		h. Dive Gloves
		<ul style="list-style-type: none"> • thickness: 1.5 mm
		<ul style="list-style-type: none"> • material: X-Foam neoprene
		<ul style="list-style-type: none"> • weight: 0.18 lb / 0.082 kg
		<ul style="list-style-type: none"> • activity: snorkelling, travel, recreational, freediving
		<ul style="list-style-type: none"> • UPC: 4048336397346
		i. Wetsuit
		<ul style="list-style-type: none"> • maximum thermal comfort in the most critical areas thanks to the

		soft and warm fabric lining with the addition of grapheme that
		holds in the body heat
		<ul style="list-style-type: none"> • soft and flexible horizontal waterproof masterseal rear zip
		<ul style="list-style-type: none"> • zippers at the ankles
		<ul style="list-style-type: none"> • supradex knee pads
		<ul style="list-style-type: none"> • hood lined with glideskin for a better seal and quick drainage
		<ul style="list-style-type: none"> • S-seal technology to ensure better thermal comfort
		<ul style="list-style-type: none"> • pop out pocket design
		<ul style="list-style-type: none"> • grip area on the wrists for fastening instruments
		<ul style="list-style-type: none"> • easy to put on and take off thanks to the ultrastretch neoprene
		j. Dive Computer
		<ul style="list-style-type: none"> • three dive modes: air, nitrox and gauge
		<ul style="list-style-type: none"> • cressi RGBM algorithm
		<ul style="list-style-type: none"> • nitrox compatible, up to 50%
		<ul style="list-style-type: none"> • one button to access all the menus
		<ul style="list-style-type: none"> • available as a wristwatch or console computer
		<ul style="list-style-type: none"> • audible alarms
		<ul style="list-style-type: none"> • depth display up to 120 m / 393 ft
		<ul style="list-style-type: none"> • altitude adjustable up to 3700 m / 12,139 ft
		k. Dive Tank
		<ul style="list-style-type: none"> • service pressure: 3000psi
		<ul style="list-style-type: none"> • actual air capacity: 30 cubic feet
		<ul style="list-style-type: none"> • outer diameter: 8 inches
		<ul style="list-style-type: none"> • length (without valve): 24 inches
		<ul style="list-style-type: none"> • empty weight: 5.7 pounds
		<ul style="list-style-type: none"> • buoyancy empty: 0 pound
		<ul style="list-style-type: none"> • buoyancy full: 7 pounds
		l. Diving Octo
		<ul style="list-style-type: none"> • small and light weight
		<ul style="list-style-type: none"> • lateral exhaust valve
		<ul style="list-style-type: none"> • right and left use
		<ul style="list-style-type: none"> • made of ultralight techno polymer
		<ul style="list-style-type: none"> • total weight: 362g (including hose)
		<ul style="list-style-type: none"> • vortex assisted design
		<ul style="list-style-type: none"> • superflex hose
		<ul style="list-style-type: none"> • model code: 416523
40	pieces	Rescue Jacket & Bull Cap
		a. Rescue Jacket
		<ul style="list-style-type: none"> • hardhat compatible 3 point adjusting hood with a wire peak and slimline foldaway design
		<ul style="list-style-type: none"> • neoprene pack wear shoulder pads
		<ul style="list-style-type: none"> • double storm flap design, able to be opened and adjusted by a gloved wearer. Two-way performance main zip with all zips having pullers to allow to be worked with gloves
		<ul style="list-style-type: none"> • 4-point waterproof zip venting system for upper body air movement
		<ul style="list-style-type: none"> • adjustable outer and inner cuff design that is compatible with gloves
		<ul style="list-style-type: none"> • easy access internal chest pocket for maps and with key hook - accessed under the zip flap without opening the garment
		<ul style="list-style-type: none"> • mesh liner for sweat wicking and advanced comfort

		<ul style="list-style-type: none"> multiple chest pockets, front pockets and handwarmers, all with closure systems to prevent snagging
		<ul style="list-style-type: none"> articulated elbow design for maximum movement
		<ul style="list-style-type: none"> reflective reflexite™ bands in strategic points
		<ul style="list-style-type: none"> Hi Vis design with three (3) layer breathable upper and two (2) layer breathable lower to give top performance for weight ratios
		<ul style="list-style-type: none"> longer tail protection design
		<ul style="list-style-type: none"> removable fleece in handwarmer pockets. Also drain mesh design in pockets to filter water out.
		<ul style="list-style-type: none"> internal waist drawcord
		<ul style="list-style-type: none"> pin back design to allow to be worn with a climbing harness
		b. Bull Cap
		<ul style="list-style-type: none"> sizing: one size fits most
		<ul style="list-style-type: none"> weight: 80 g
		<ul style="list-style-type: none"> manufacturer: silver knight
		<ul style="list-style-type: none"> content: cotton / acrylic
		<ul style="list-style-type: none"> colour: red and white (if available)
		<ul style="list-style-type: none"> water repellent
		<ul style="list-style-type: none"> customized logo and print
31	pieces	DDR / Emergency Rescue Complete Suit
		<ul style="list-style-type: none"> 7.7 oz, FR cotton blend 88% cotton, 12% nylon
		<ul style="list-style-type: none"> 3" FR triple trim across back, around upper arms and leg cuffs
		<ul style="list-style-type: none"> hook and loop adjustable throat latch
		<ul style="list-style-type: none"> left chest radio pocket with utility strap
		<ul style="list-style-type: none"> mic clip above radio pocket
		<ul style="list-style-type: none"> right chest oversized utility pocket
		<ul style="list-style-type: none"> lined and reinforced padded elbows and forearms
		<ul style="list-style-type: none"> hook and loop adjustable cuff closures
		<ul style="list-style-type: none"> heavy duty, two-way aramid zipper front closure with hook and loop storm flap (fly area – no hook and loop for easy access)
		<ul style="list-style-type: none"> hook and loop adjustable take-up straps at waist
		<ul style="list-style-type: none"> scissor pocket with straps over semi-bellowed cargo pockets on both thighs
		<ul style="list-style-type: none"> two rear patch pockets with hook and loop flap closures
		<ul style="list-style-type: none"> padded knees and shins
		<ul style="list-style-type: none"> 12" leg zipper with hook and loop adjustable straps at ankle
		<ul style="list-style-type: none"> made in the USA
31	pieces	Safety Boots
		<ul style="list-style-type: none"> metro durable, non-marking rubber outsole with waffle traction and ladder grip control
		<ul style="list-style-type: none"> stitched heel and toe for durability and increased service life
		<ul style="list-style-type: none"> custom-molded phylon EVA midsole for lightweight comfort and cradled support
		<ul style="list-style-type: none"> texon stability platform for lateral support and torsional rigidity
		<ul style="list-style-type: none"> airport friendly nylon shank for lightweight support and fatigue control
		<ul style="list-style-type: none"> polishable leather toe
		<ul style="list-style-type: none"> leather / 1000 denier nylon upper for improved durability and comfort
		<ul style="list-style-type: none"> double-stitched upper with 3-ply bonded nylon thread for extended

		durability
		<ul style="list-style-type: none"> • custom-molded thermoplastic heel counter and toe box for instant comfort and lateral support
		<ul style="list-style-type: none"> • foam padded collar and tongue for protection and increased breathability
		<ul style="list-style-type: none"> • non-metallic rust proof hardware
		<ul style="list-style-type: none"> • PU collar for easy cleaning
		<ul style="list-style-type: none"> • removable custom fit EVA insole
		<ul style="list-style-type: none"> • gusseted tongue to keep dirt and debris out
		<ul style="list-style-type: none"> • YKK® side-zipper for easy on and off fit with Velcro® closure
		<ul style="list-style-type: none"> • 43 oz (1219 g)

2. Bids received in excess of the ABC shall be automatically rejected at bid opening.

3. The **CITY GOVERNMENT OF ALAMINOS, PANGASINAN** now invites bids for the **PROCUREMENT OF VARIOUS PERSONAL PROTECTIVE EQUIPMENT FOR ALAMINOS CITY RESPONSE AND EXTRICATION TEAM OF THE CITY GOVERNMENT OF ALAMINOS, PANGASINAN**. Delivery of goods is required within **Thirty (30) Calendar Days upon receipt of the Notice to Proceed**. Bidders should have completed, within **two (2) years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.

4. Bidding will be conducted through open competitive bidding procedures using non-discretionary pass/fail criterion as specified in the Implementing Rules and Regulations (IRR) of Republic Act 9184 (RA 9184), otherwise known as the "Government Procurement Reform Act".

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines.

5. Interested bidders may obtain further information from **CITY GOVERNMENT OF ALAMINOS, PANGASINAN** and inspect the Bidding Documents at the address given below from **October 15 – November 4, 2020**.

6. A complete set of Bidding Documents may be purchased by interested Bidders from the address below and upon payment of a non-refundable fee for the Bidding Documents in the amount of **One Thousand Pesos Only (Php 1,000.00)**.

Bidding Documents may also be downloaded from the website of the Philippine Government Electronic Procurement System (PhilGEPS) provided that bidders shall pay the fee for the Bidding Documents prior to the submission of bids.

7. Bids must be delivered on or before **November 4, 2020, 9:30 A.M.** at the **City Budget Office, City Hall Building, City of Alaminos, Pangasinan**. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 18 of the Revised IRR of RA 9184. Late bids shall not be accepted.

Bid opening shall be on **November 4, 2020, 10:00 A.M.** at the **City Conference Hall, City Hall Building, City of Alaminos, Pangasinan**. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address below.

8. The amount of Performance Security shall be not less than the required percentage of Total Contract Price:
 - Five percent (5%) for Cash or cashier's / manager's check issued by a Universal or Commercial Bank;

- Five percent (5%) for Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank ;
 - Thirty percent (30%) for Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance commission as authorized to issue such security.
9. The Amount of Warranty Security shall be equal to percentage of the Total Contract Price:
 - One percent (1%) of total contract price or;
 - Special Bank Guarantee equivalent one percent (1%) total contract price.
 10. The winning bidder is entitled an advance payment of 15% of the contract and the remaining balance shall be paid only after the issuance of Acceptance Report by the City.
 11. The **CITY GOVERNMENT OF ALAMINOS, PANGASINAN** reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder or bidders.
 12. For further information, please refer to:

ROLEVER C. BERNABE / ENGR. WILSON C. ROSARIO
Head – BAC Secretariat / Member – BAC Secretariat
City General Services Office / City Engineering Office
Alaminos City Hall Building
Quezon Avenue, Poblacion, City of Alaminos, Pangasinan
(075) 696-1559 / (075) 551-3034
www.alaminoscity.gov.ph

ROWENA F. RUIZ
City Budget Officer
Chairperson - Bids and Awards Committee