



2nd INVITATION TO BID FOR THE PROCUREMENT OF VARIOUS RESCUE AND SAFETY EQUIPMENT TO BE USED AT THE OFFICE OF THE CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICER (CDRRMO), CITY OF ALAMINOS, PANGASINAN

1. The **CITY GOVERNMENT OF ALAMINOS, PANGASINAN** through the **5% CDRRMF** intends to apply the sum of **Two Million Two Hundred Sixty-One Thousand Five Hundred Two Pesos Only (Php 2,261,502.00)** being the Approved Budget for the Contract (ABC) to payments under the contract for the **PROCUREMENT OF VARIOUS RESCUE AND SAFETY EQUIPMENT TO BE USED AT THE OFFICE OF THE CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICER (CDRRMO), CITY OF ALAMINOS, PANGASINAN.** Bids received in excess of the ABC shall be automatically rejected at bid opening.

QTY.	UNIT OF MEASURE	ITEM DESCRIPTION
10	unit	Leatherman Raptor Rescue Gear
		✓ 420HC Foldable Stainless Steel
		✓ With Oxygen Tank Wrench
		✓ With Strap and Ring Cutters
		✓ With Carbide Glass Breaker
		✓ 5cm Ruler
		✓ With Holster
		✓ With Lanyard Hole
		✓ With Replaceable Pocket Clip
		✓ With Warranty
		Closed Length: 5in 12.7cm
		Open Length: 8.0in 20.3cm
		Shear Length: 1.9in 4.8cm
		Weight: 5.8oz 164g
		Width: 1.9in 4.8cm
		Overall Thickness: .67in 1.7cm
		Materials: 420HC Stainless Steel, Glass-Filled Nylon, Carbide
1	unit	Portable Cardiac Monitor
		Ø High Resolution 12.1" Color tft Display
		Ø Lightweight, compact and portable
		Ø ECG, RESP, SPo2, NIBP, 1-temp, PR/HR
		Ø 2-ibp, ecto2 and thermal printer
		Ø Built-in rechargeable lithium battery



QTY.	UNIT OF MEASURE	ITEM DESCRIPTION
		Ø ECG waveforms of 7 leads display on the same screen
		Ø 72-hours graphic and tubular trends of all parameters
		Ø 72 alarm events of all parameters recall
		Ø 32 seconds full-disclosure waveform review
		Ø 500 NIBP measurement data can be stored and recalled
		Ø Data and waveform color be adjustable
		Ø Arrhythmia analysis and S-T segments analysis
		Ø Suitable for adult, pediatric and neonatal patients
		Ø With 2 years warranty
10	unit	Traffic Cones (Rubber)
		Net Weight: 10.1lbs
		Height: 36"
		Length of Base: 14-19/32"
		Thickness of Base: 1-37"/64"
		High Quality Reflective Collars:
		5-29/32"
		3-15/16"
2	unit	Kendrick's Board
		Ø 3-color coded boy straps with quick clip, snap-lock buckles
		Ø can be used in conjunction with a c-Collar
		Ø with 2 reusable, plastic coated head/chin straps, neck pad, and carry case
		Features:
		✓ Versatile, improved means of immobilizing and extricating patients from auto accidents or confined spaces
		✓ Wrap-around design provides horizontal flexibility for easy application and vertical rigidity for maximum support of the spine, neck and head during extrication
		✓ Immobilizes torso, head and neck enabling prompt



QTY.	UNIT OF MEASURE	ITEM DESCRIPTION
		extrication while minimizing risks of further injury
		✓ X-rays or advanced life support procedures can be performed in place
		✓ Heavy-duty, vinyl-coated nylon is durable and easy to clean
		✓ Case is enlarged to accommodate extrication collars. Stores rolled up, ready for immediate use
		✓ Includes wrap-around vest, Adjusta-Pad neck roll, two head straps and carrying case
		✓ Built-in handles enable rescuers to get a firm grip on the patient
		✓ Adjustable, fold-back sides permit easy access to Patients chest
		✓ Can be used for multiple patient sizes, including children and pregnant women
		✓ Color-coded, sewn-in securing straps and snap lock buckles for quick, easy application
		✓ Effective in immobilization of pediatric patients
		✓ Ideal for immobilizing and extricating patients from auto accidents or confined spaces
		✓ Does not interfere with the application of anti-shock trousers
1	unit	Rescue CPR Mannequin (Whole Body)
		<i>Performance:</i>
		✓ Measure CPR performance
		✓ Assess the results of the performance
		✓ Facilitate good feedback to the instructor
		<i>Features:</i>
		✓ Realistic anatomy including head tilt, chin lift, compression depth, compression force and chest rise
		✓ Sensor indicates correct hand placement
		✓ Ventilation system provides appropriate chest rise





QTY.	UNIT OF MEASURE	ITEM DESCRIPTION
		with BMV (Bag Valve Mask) and MTM (Mouth to Mouth)
		✓ Enhanced measurement and feedback capabilities
		✓ Wireless connectivity with SimPad SkillReporter
		✓ Wired connectivity with SkillGuide or SimPad Skill Reporter
		✓ Guidelines compliant
1	unit	AED Machine Live
		✓ Top of the line piece of equipment, designed to assist you in saving the life of a person suffering from Sudden Cardiac Arrest (SCA), whether they require a shock or not. Automated External Defibrillator (AED) that uses voice prompts and visual indicators to guide the rescuer through a resuscitation sequence that may include defibrillation and/or Cardiopulmonary Resuscitation (CPR).
10	unit	Spider Strap
		Ø with reflectorized strip along the middle
		Ø to be used in conjunction with adult spine board
60	piece	CPR Mask with Hard Case
		✓ Reusable, easy-to-clean, pocket size CPR mouth barrier has a transparent dome and completely seals easily to the faces of infants, children and adults. The CPR savers, mask helps protect rescuers in an emergency situation.
		<i>Features:</i>
		✓ Replaceable one-way valve with biological filter in one housing
		<i>CPR Mask Kit Includes:</i>
		✓ CPR mouth barrier with plastic case, head strap, oxygen inlet



QTY.	UNIT OF MEASURE	ITEM DESCRIPTION
		<i>CPR Mask Dimensions:</i>
		5.¾" x 4.¾" x 1.7½"
10	piece	X Collar Plus
		✓ Designed to splint the cervical spine by securing the head to the torso of the patient above C-1 and below c-7; on two points anterior and two points posterior. The splinting system utilizes bi-lateral and vertical adjustments to obtain a customized fit for both the desired circumference and height of large adult and small pediatric patients; working to increase patient safety by minimizing potential cervical spinal distraction and injury.
		<i>Features:</i>
		✓ Integrated Head Restraint System (HRS) which replaces the use of head blocks, towels, or tape
		✓ Equipped with one HRS consisting of an integrated set of Velcro straps which are used with the X Collar Plus to secure the patient to the backboard; minimizing lateral and vertical movement. The HRS also includes a height-adjustable Occipital Support Pad to ensure proper patient spinal alignment
		✓ Capable of customizing to fit patient body types ranging from pediatric (approximately 22lbs) to extra large adult (approximately 360+lbs)
		✓ Splints the cervical spine in the "Position of Comfort" or Position Found
		✓ The adjustable, integrated Head Restraint System (HRS) eliminates the need for head blocks, towels, and tape, while minimizing vertical and lateral patient movement during transport
		✓ Occipital Support Pad is adjustable in ½-inch increments for up to 2 inches
		✓ Oversized trachea opening allows for carotid pulse



QTY.	UNIT OF MEASURE	ITEM DESCRIPTION
		checks, advanced airway procedures, and easy visual assessment
		✓ Tested at operating temperatures ranging from -40 Degrees Celsius to 60 Degrees Celsius
		✓ Latex-free materials are radiolucent, MRI and CT Scan compatible
		Ø with warranty
4	unit	Ambulance Stretcher
		✓ The stretcher trolley can be converted into chair; the angle of the stretcher can be adjusted according to your different requirements. The ambulance stretcher is quite suitable to transfer the patients in the limited place, such as lift in hospital, ambulance, city road, etc.
		✓ It is made of stainless steel materials. The ambulance stretcher is characterized by its being anti-corrosion, use-safely and easy for sterilization and cleaning
		<i>Technical Features:</i>
		✓ Product Size (LxWxH): High Position: 196 x 55 x 86cm Low Position: 190 x 55 x 25cm
		✓ Carton Size: 198 x 62 x 26cm
		✓ Load Bearing: 159kg
		✓ Net Weight: 34kg
		✓ Gross Weight: 40kg
4	unit	OBM Ear Muffs
		<i>Features:</i>
		✓ Designed with dual feed, which can maximize the water flows at both intakes large rectangle rubber muff provides fine intake coverage and reduced leakage
		✓ Black coated spring steel frame, sturdy and durable,



QTY.	UNIT OF MEASURE	ITEM DESCRIPTION
		making it fast and firm to connect with male fitting,
		easily connect to a standard hose, just slide cups over
		the tops of the water intake slots, and connect hose
		to the fitting
		✓ Practical accessory suits most outboards and stern
		drives (which have side water intakes on the lower
		unit)
		<i>Specifications:</i>
		Nylon Color:
		Black Item Size: 410 * 143 * 70mm / 16.1 * 5.6 * 2.8in
		Item Weight: 360g / 12.7ounce
		Package Size: 430 * 163 * 90mm / 16.9 * 6.4 * 3.5in
		Package Weight: 650g / 22.9ounce
		Packing List: 1 * Motor Cleaners
		Ø Suitable for Suzuki 40hp engine and Yamaha 115hp
		Ø With warranty
		Ø With extra Muffs
1	unit	Air Splints / Vacuum Splint
		Ø For leg, arm and wrist
		Ø Complete with vacuum pump and carry bag
15	piece	Sam Splints
		✓ compact, lightweight, highly-versatile device
		designed for immobilizing bone and soft tissue
		injuries in emergency settings
		✓ consists of a layer of .016 inches (0.41mm) strips
		of soft aluminium, with a polyethylene
		✓ closed cell foam coating
		<i>Benefits and Features:</i>
		✓ waterproof
		✓ reusable



QTY.	UNIT OF MEASURE	ITEM DESCRIPTION
		✓ lightweight and compact
		✓ radiolucent
		✓ fastens in place with tape or wrap of choice; no extra equipment is needed
		✓ not affected by extreme temperatures or altitudes
		✓ closed-cell foam allows easy cleaning and disinfection; material compatible with all standard cleaning solutions
		✓ provides added stability for all limbs including the neck
		✓ latex free
		✓ 4.25" x 36"

2. The **CITY GOVERNMENT OF ALAMINOS, PANGASINAN** now invites bids for the above Procurement Project. Delivery of the Goods is required within **Thirty (30) Calendar Days upon receipt of the Notice to Proceed**. Bidders should have completed within **two (2) years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary *"pass/fail"* criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the law or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
4. Prospective Bidders may obtain further information from the **CITY GOVERNMENT OF ALAMINOS, PANGASINAN** and inspect the Bidding Documents at the address given below during **8:00AM to 5:00PM**.
5. A complete set of Bidding Documents may be acquired by interested Bidders on **May 17 – June 6, 2022** from the given address and website below and upon payment of a non-refundable fee for the Bidding Documents in the amount of **Five Thousand Pesos Only (Php 5,000.00)** at the BAC Secretariat, City Engineering Office, City of Alaminos, Pangasinan.

Bidding Documents may also be downloaded from the website of the Philippine Government Electronic Procurement System (PhilGEPS) provided that bidder shall pay the fee for the Bidding Documents prior to the submission of bids.



Republic of the Philippines
Province of Pangasinan
CITY OF ALAMINOS



ISO 9001:2015
REGISTRATION NUMBER: QAC/R63/0267
QUALITY MANAGEMENT SYSTEM

6. The **CITY GOVERNMENT OF ALAMINOS, PANGASINAN** will hold a Pre-Bid Conference on **May 25, 2022, 10:00 A.M. at the City Budget Office, City Hall Building, City of Alaminos, Pangasinan.**
7. Bids must be duly received by the BAC Secretariat on or before **June 6, 2022, 9:30 A.M.** at the **City Budget Office, City Hall Building, City of Alaminos, Pangasinan.** Late bids shall not be accepted.
8. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
9. Bid opening shall be on **June 6, 2022, 10:00 A.M.** at the **City Budget Office, City Hall Building, City of Alaminos, Pangasinan.** Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
10. The **CITY GOVERNMENT OF ALAMINOS, PANGASINAN** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 35.6 and 41 of the 2016 Revised Implementing Rules and Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:

ROLEVER C. BERNABE / ENGR. WILSON C. ROSARIO
Head – BAC Secretariat / Member – BAC Secretariat
City General Services Office / City Engineering Office
Alaminos City Hall Building
Quezon Avenue, Poblacion, City of Alaminos, Pangasinan
(075) 696-1559 / (075)551-3034
bacseretariat12020@gmail.com
www.alaminocity.gov.ph

ROWENA F. RUIZ
City Budget Officer
Chairperson - Bids and Awards Committee

